

**bp** PART NO: 400-12/80

Description: Speaker 12 to 80 Volt  
Electronic Amber Beacon  
(Field replaceable Xenon Tube)

**bp** PART NO: 441-VOLTAGE

Description: Speaker Pulsed Filament Amber  
Beacon Select Correct Voltage of  
Bulb i.e. 12V, 24V, 36V, 48V, 72V

**bp** PART NO: 537-12/80

Description: Speaker 12 to 80 Volt  
Mini-Strobe Amber Beacon  
(Field replaceable Xenon Tube)

**bp** PART NO: 450-10/100V

Description: 10 to 100 Volt Amber Xenon  
3 Bolt Beacon

**bp** PART NO: 10132A-12/80

Description: 12 to 80 Volt Low Profile  
3 Bolt Amber Beacon

**bp** PART NO: 536-12/80

Description: Speaker 12 to 80 Volt Slim-line  
Xenon 2 Bolt Amber Beacon  
(Field replaceable Xenon Tube)

**bp** PART NO: LAP-121

Description: 12 Volt Rotating Beacon  
Single Point Fixing

**bp** PART NO: LAP-259

Description: 12 Volt Magnetic Rotating Beacon

**bp** PART NO: LAP-269

Description: 12 Volt Pole Mounted Rotating  
Beacon

**bp** 40/441 DOMES PLUS 850 LENS

**PART NO:**  
4429231  
4429241  
4430930  
4429690  
4429710  
4429700

**DESCRIPTION:**  
Amber 850 lens  
Red 850 lens  
Green Dome 400/441  
Red Dome 400/441  
Blue Dome 400/441  
Clear Dome 400/441

**NOTE:** JW SPEAKER CATALOGUE AVAILABLE ON REQUEST

**bp** PART NO: 850-VOLTAGE



Description: Rectangular Rubber Worklamp  
12 to 72 Volt  
(Select Voltage of Bulb)

**bp** PART NO: 871-VOLTAGE



Description: Rectangular Polycarbonate  
Worklamp 12 to 72 Volt  
(Select Voltage of Bulb)

**bp** PART NO: 870-VOLTAGE



Description: Rectangular Polycarbonate  
Worklamp  
(Select Voltage of Bulb)

**bp** PART NO: 870-VOLTAGE



Description: Left and Right Mount  
Rectangular Polycarbonate  
Worklamp 12 to 72 Volt  
(Select Bulb)

**bp** PART NO: 900/H9414-12V




Description: 12 Volt Heavy Duty  
Rectangular Worklamp

**bp** PART NO: 780-12V



Description: 12 Volt Clear Lamp

**bp** PART NO: 285-VOLTAGE



Description: 12 to 72 Volt Rear Light Cluster  
(Specify Voltage)

**bp** PART NO: 286-12/48V



Description: 12 to 48 Volt L.E.D.  
Rear Light Cluster

**bp** PART NO: 270DP-12V



Description: 12 Volt Indicator Amber Lamp

**bp** PART NO: 430




Description: Beacon Guard  
(To suit model 400/441)

**bp** PART NO: 530




Description: Beacon Guard

**bp** PART NO: 533



Description: Beacon Guard  
(to suit 537 Mini-Strobe)

**bp** PART NO: 51595-CAGE

Description: Beacon Guard  
(To suit model 400/441)

**bp** PART NO: 62494-CAGE

Description: Beacon Guard  
(To suit model 536 Beacon)

**bp** PART NO: 46B

Description: Lamp bracket

**bp** PART NO: BP-9

Description: Guard  
(to suit model 450 Beacon)

**bp** PART NO: 40B

Description: Worklamp Bracket

**bp** PART NO: 285-G

Description: Rear Lamp Guard  
(to suit model 285/ 286)

**bp** PART NO: 47B

Description: 400 / 441 / 537  
Shock Proof Bracket

**bp** PART NO: 49B

Description: Beacon Bracket  
(To suit model 400/441)

**bp** PART NO: BP-14

Description: Mounting Bracket  
(to suit model 450 Beacon)

**bp** PART NO: 68000-BRACKET

Description: Mounting Bracket  
(to suit model 450 Beacon)

**bp PART NO: MODEL 700 LED****Description:**

Made with a rugged, durable aluminum die cast housing, this LED work lamp provides years of trouble-free service because there is no bulb filament to break.

Available with an optional on-off switch, or with a photo sensor and switch. UL recognized.

**Voltage:** 12V to 48V.

**Application:** Material handling, construction.

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 5-5/8" x 3-3/4" (144 x 95mm)

**bp PART NO: MODEL 701 LED****Description:**

LED work lamps keep vehicles in constant service because, with no bulb filament to break, vehicles are never down for bulb replacements. Tough aluminum die cast housing is vertically mounted.

Available with an optional on-off switch or a photo sensor with switch.

**Voltage:** 12V to 48V.

**Application:** Material handling, construction, utility.

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 4" x 6-3/4" (100 x 193mm)

**bp PART NO: MODEL 539 LED****Description:**

Sealed against water, dust, and corrosion, this strobe features multi-voltage, extremely long life, with low power consumption. LEDs are highly resistant to shock, vibration, and the elements. UL recognized.

**Voltage:** 12V to 80V.

**Application:** Utility, Industrial, material handling.

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 2-7/8" diameter x 4 -1/4" high (72 x 108mm)

**bp PART NO: MODEL 146 LED****Description:**

Small, compact, and light weight, this amber strobe lamp uses long-life LEDs and saves on power consumption and battery life. CE and UL recognized.

**Voltage:** 12V, 24V to 36V.

**Application:** Industrial vehicles.

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 2-1/2" (65mm) diameter plus mounting flanges

**bp PART NO: MODEL 281 LED ECE****Description:**

Multi-function (stop, tail, and turn) LED lamp is perfect for on-road use in European markets. Designed for vertical mounting, this sealed lamp will provide years of trouble-free service.

**Voltage:** 12V and 24V.

**Application:** Construction, utility, recreation, material handling.

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 2" x 8-1/2" (50 x 217mm)

**bp PART NO: MODEL 281 LCD RETROFIT****Description:**

Specifically designed to retrofit the Mitsubishi - Caterpillar P/N 05153-09501, this lamp is built to last. Provides stop, tail, turn, and back-up functions. LEDs promise extremely long life and low power consumption. UL recognized.

**Voltage:** 36V to 48V.

**Application:** Material handling (MCFA)

**Lighting Technology:** Light Emitting Diode (LED)

**Approx. Size:** 2" x 10-1/4" (50 x 261mm)


**bp** FLASHTUBES / BULBS
**PART NO:**

FT624  
881-12V  
3148681  
1156-12V  
1638-24V  
1683-24V  
862-12V  
4830831  
SP5-36V  
SP6 - 48V

**DESCRIPTION:**

FLASHTUBE  
12V HALOGEN BULB  
400 BEACON FLASHTUBE  
12V BULB S.C.  
24V BULB D.C.  
24V BULB S.C.  
12V LongLife Halogen Bulb  
12V Halogen Bulb (894-12V)  
36V BULB D.C.  
48V BULB D.C.

**PART NO:**

SP7-36V  
SP8-48V  
SP9-72V  
SP11-12V  
SP12-28V  
SP14-36V  
SP15-48V  
SP17-24V  
SP18-72V

**DESCRIPTION:**

36V BULBS S.C.  
48V BULBS S.C.  
72V BULBS S.C.  
12V HALOGEN BULB  
24V HALOGEN BULB  
36V BULB (285)  
48V BULB (285)  
24V BULB (285)  
72V BULB (285)

**FULL SPECIFICATION SHEET AVAILABLE**


**bp** BULBS / FESTOON BULBS
**PART NO:**

A4187 48 VOLT 10 WATT S/C BULB  
A4192 48 VOLT 10 WATT D/C BULB  
A45984 8 VOLT 25 WATT S/C BULB  
A4597 48 VOLT 25 WATT D/C S/F BULB  
A4896 48 VOLT 25/10 WATT D/C D/F BULB  
HC3210 48 VOLT 25/10 WATT D/C D/F BULB  
HB233 12 VOLT 4 WATT S/C BULB  
HB242 24 VOLT 5 WATT FESTOON BULB  
HB207 12 VOLT 5 WATT S/C BULB  
HB209 12 VOLT 5 WATT D/C BULB  
HB149 24 VOLT 5 WATT S/C BULB  
HB276 24 VOLT 21 WATT FESTOON BULB  
HB239 12 VOLT 5 WATT FESTOON BULB  
HB245 12 VOLT 10 WATT S/C BULB  
HB501 12 VOLT 5 WATT CAPLESS BULB  
HB431 12 VOLT 5 WATT S/C BULB (HALOGEN)  
HB346 24 VOLT 21 WATT S/C BULB

**PART NO:**

HB334 24 VOLT 25/10 WATT D/C BULB  
HB335 12 VOLT 21 WATT D/C BULB  
HB339 24 VOLT 24 WATT S/C BULB  
HB382 12 VOLT 21 WATT S/C BULB  
HB380 12 VOLT 21/5 WATT D/C BULB  
HB472 12 VOLT HALOGEN BULB 60/55  
8GA002083-131 12 VOLT 35 WATT BULB (BA205)  
HB241 24 VOLT 21 WATT S/C BULB  
HB410 12 VOLT 45/40 BULB  
19405784 8 VOLT S/C BULB  
1940647 48 VOLT BULB  
753 48 VOLT HALOGEN BULB  
HB448 12 VOLT 55 WATT HALOGEN BULB (SPADE)  
HB453 12 VOLT HALOGEN BULB (TAIL)  
HB460 24 VOLT HALOGEN BULB (TAIL)  
HB466 24VOLT HALOGEN BULB (SPADE)

**DESCRIPTION:**